

4228 Distribution Box



4228 Distribution Box



Catalog Number: 4228-BOX Eaton Arrow Hart straight blade connector, #18-12 AWG, 20A, Commercial, 125V, Back wire, Yellow, Brass, Thermoplastic, 5-20R, Two-pole, three-wire, grounding, ...



The product is verified as being authentic; however, this does not guarantee the condition or fit for purpose of the product. Refer to warranty document. Note: If file (s) are missing from the .zip ...




Description - Eaton Arrow Hart straight blade connector, #18-12 AWG, 20A, Commercial, 125V, Back wire, Yellow, Brass, Thermoplastic, 5-20R, Two-pole, three-wire, grounding, Screw, Thermoplastic, ...



EATON Arrow Hart™ Eaton Wiring Devices 4228-BOX Heavy Duty Straight Blade Connector, 125 VAC, 20 A, 2 Poles, 3 Wires, Yellow



Find pricing and availability for the Eaton 4228-BOX Electrical Connector, 2-Pole, 20 A, 125 V, Screw, NEMA: NEMA 5-20R, Yellow



NSN 6110-01-615-4228 distribution box pricing and availability, cross reference parts, and webflis data.



Ships from manufacturer. Available to order through Fromm.



EATON Arrow Hart™ Eaton Wiring Devices 4228-BOX Heavy Duty Straight Blade ...



Order today, ships today. 4228-BOX - Power Connector Plug, Female Sockets NEMA 5-20R Free Hanging (In-Line) from Eaton Wiring Devices. Pricing and Availability on millions of electronic ...



6110-01-615-4228 An enclosure which includes mounts, and protects such items as switches, circuit breakers, jacks, fuseholders, connectors, terminals and/or terminal boards, resistors, capacitors, ...



EATON Arrow Hart™ Eaton Wiring Devices 4228-BOX Heavy Duty Straight Blade Connector, 125 VAC, 20 A, 2 Poles, 3 Wires, Yellow

Contact Us

For more information, pricing, or custom data center solutions, please contact us:

Website: <https://www.yoahorroenergia.es>

Email: hello@yoahorroenergia.es

Phone: +233 54 318 7269

Address: Plot 28, Spintex Road, Accra, Greater Accra, Ghana

This document is for informational purposes only. Specifications subject to change without notice.

