

Afghanistan Air-Cooled Switch QSFP-DD



Afghanistan Air-Cooled Switch QSFP-DD



July 11, 2019 - QSFP-DD Hardware Specification for QSFP DOUBLE DENSITY 8X PLUGGABLE TRANSCEIVER - Rev 5.0 May 8, 2019 - Common Management Interface Specification - Rev 4.0



This specification defines: the electrical and optical connectors, electrical signals and power supplies, 19 mechanical and thermal requirements of the pluggable QSFP Double Density (QSFP-DD/QSFP ...



QSFP-DD Interconnect System enables faceplate density equal to the current 2x1 QSFP form factor, but with 8-lane ports. In other words, a total of 256 differential pairs with 32 ports delivers double-lane ...



Complete QSFP-DD power and thermal guide with module power data, rack calculations, AI cluster planning, and cooling strategies for 400G and 800G deployments.



Although 400Gb/s is the speed rating, these switches use connector cages that house two 400Gb/s ports in a single cage called 2x400G twin-port OSFP and are used exclusively in these ...



The QSFP-DD family supports legacy QSFP channels on the front interface and four additional channels on the rear interface. This interconnect system optimizes density and power ...



QSFP-DD ports incorporate a sliding heatsink that can be sized independently of the optical module, added on top of the module, or placed between modules. This flexibility enables switch and routing ...



QSFP-DD can enable up to 14.4 Tbps aggregate bandwidth in a single switch slot. QSFP-DD electrical interfaces will employ eight lanes that operate up to 25 Gbps NRZ modulation or 50 Gbps PAM4 ...



Our QSFP-DD cages feature a proprietary heat sink design, making them the only solution to work in 15-18W applications at a low cost - providing superior thermal and signal integrity performance.



QSFP-DD (quad small form-factor pluggable double density) doubles the capacity of QSFP interconnects with an eight-lane electrical interface capable of 28 Gbps NRZ, 56 Gbps PAM4, and ...

Contact Us

For more information, pricing, or custom data center solutions, please contact us:

Website: <https://www.yoahorroenergia.es>

Email: hello@yoahorroenergia.es

Phone: +233 54 318 7269

Address: Plot 28, Spintex Road, Accra, Greater Accra, Ghana

This document is for informational purposes only. Specifications subject to change without notice.

