

Compatible Low-Temperature Resistant Air-Cooled Switches




Overview

H7-BM1 30 (B), University Avenue, Yangon, Myanmar. Like us on Facebook!mod. Like us on Facebook! How can we improve?

Choose from our selection of adjustable temperature switches, including over 325 products in a wide range of styles and sizes. Width 5mm, height 12mm (31% smaller than NY series) area 100 mm², super slim, low power, compact and light weight 2. The CQ2 is available in 15 bore sizes from 12mm to 200mm. It comes standard with male or female piston rod threads. (Voltage drop method with 5 VDC 1 A) 20 ms max. Each Genuine part is manufactured under the ISO9001 standard, a process that utilizes the same materials, machinery, and production methods as the original equipment parts.

Compatible Low-Temperature Resistant Air-Cooled Switches

	(With rated operating power applied, not including contact bounce) 20 ms max. (With rated operating power applied, not including contact bounce)
	Myanma Power Spectrum can supply low-voltage, medium-voltage, and high-voltage electrical equipment, products, systems, and related engineering services for the given system.
	Leviton offers a wide range of lighting controls, wiring devices and networking to meet the needs of today's residential, commercial and industrial customers.
	DigiKey Component Cross Reference Tool
	Yanmar Genuine Parts are the only parts manufactured to YANMAR's strict, industry-leading standards in quality and durability.




Choose from our selection of adjustable temperature switches, including over 325 products in a wide range of styles and sizes. Same and Next Day Delivery.



H7CX-AWD1. mod. RFM-TXE. mod. H7-BM1. 30 (B), University Avenue, Yangon, Myanmar. Like us on Facebook!



Applications include the sensing of low temperature conditions to avoid over cooling or icing of hydronic coils, cooling coils, and liquid-handling pipes. The controls are compact and sturdy, and have an ...



All relays produced by Fujitsu Components are compliant with RoHS directive 2011/65/EU including amendments. Cadmium as used in electrical contacts is exempted from the RoHS directives. As per ...



Series CJP2 is auto switch capable and other options include rubber bumper cushions, and made to order models including both heat and cold resistant types. Mounting possibilities include basic/panel, ...

Contact Us

For more information, pricing, or custom data center solutions, please contact us:

Website: <https://www.yoahorroenergia.es>

Email: hello@yoahorroenergia.es

Phone: +233 54 318 7269

Address: Plot 28, Spintex Road, Accra, Greater Accra, Ghana

This document is for informational purposes only. Specifications subject to change without notice.

