

# **Congo SD-WAN Device QSFP-DD**



## Congo SD-WAN Device QSFP-DD



Current rating for each of QSFP-DD1600 contacts are increased to 2 A with feasibility of at least 40 W module power dissipation. Appendix F defines QSFP-DD1600 enhanced thermal design with bottom ...



Ascent's QDD-400G-ZR QSFP-DD Digital Coherent Optic Modules are 400 Gb/s Quad Small Form Factor Pluggable- double density (QSFP-DD) transceivers designed for long distance optical ...



The 400G QSFP-DD ULH module is compliant with Common Management Interface Specification (CMIS) 5.3 and Coherent CMIS (C-CMIS) 1.3, and is available for both on Cisco and ...




Quad small form pluggable double density (QSFP-DD) transceivers maximize port economy and density by utilizing multiple lanes of data. QSFP-DD fiber transceivers utilize eight lanes as opposed to the ...



July 11, 2019 - QSFP-DD Hardware Specification for QSFP DOUBLE DENSITY 8X PLUGGABLE TRANSCEIVER - Rev 5.0 May 8, 2019 - Common Management Interface Specification - Rev 4.0



The Cisco® family of QSFP-DD modules provide the industry's highest bandwidth density while leveraging the backward compatibility to lower-speed QSFP pluggable modules and cables.



TE Connectivity (TE) stacked quad small form factor pluggable double density (QSFP-DD) 112G connectors and cages are the next generation of data infrastructure interconnect solutions to support ...



QSFP-DD can enable up to 14.4 Tbps aggregate bandwidth in a single switch slot. QSFP-DD electrical interfaces will employ eight lanes that operate up to 25 Gbps NRZ modulation or 50 Gbps PAM4 ...



FS provides an expanding portfolio of 400G OSFP/QSFP112/QSFP-DD solutions featuring high-performance, high-bandwidth, and backward compatibility. The 400G transceiver modules are ideal ...



The QSFP-DD family supports legacy QSFP channels on the front interface and four additional channels on the rear interface. This interconnect system optimizes density and power ...

## Contact Us

For more information, pricing, or custom data center solutions, please contact us:

Website: <https://www.yoahorroenergia.es>

Email: [hello@yoahorroenergia.es](mailto:hello@yoahorroenergia.es)

Phone: +233 54 318 7269

Address: Plot 28, Spintex Road, Accra, Greater Accra, Ghana

This document is for informational purposes only. Specifications subject to change without notice.

