


## Ecuadorian Active Optical Module 25G



## Ecuadorian Active Optical Module 25G



25G 20Km LWDM SFP28 Product Features  
Supports 25GE and eCPRI, with data rate up to 25.78125Gbps 18dB link budget, up to 20km transmission distance over SMF LWDM 1286.6629nm, ...



SFP28 transceiver that supports 25G connections up to 100 m using multi-mode fiber with a duplex LC UPC connector.



Amphenol's 25G SFP28 optical modules include AOC series, which are compatible with IEEE802.3by and IEEE802.3cc. They are compliant with SFP28 MSA, SFF-8431 and SFF-8432, it is ...



These cables are available in lengths from 1 meter to 20 meters and are terminated in connectors that are inserted directly into the SFP., SFP+, or SFP28 cages in place of optical modules. We ...



Cisco SFP28 to SFP28 Active Optical Cables are direct-attach fiber assemblies with SFP connectors. They are suitable for very short distances and offer a cost-effective way to connect within racks and ...



These 25G SFP28 assemblies are capable of transmitting data up to 25Gb/s, offering an easy installation with a flexible, multimode fiber cable.



The EdgeOptic 25G-SFP28-100 is a 25GBASE-SR SFP28 transceiver for 25 Gigabit Ethernet over multimode fiber. The module uses an 850 nm VCSEL transmitter paired with a PIN photodiode ...



Arista supports a range of 25G copper cables and optical transceivers compliant to IEEE standards and industry MSAs. Arista's 25G connectivity solutions include copper cables, Active Optical Cables ...



FS 25G SFP28 optical transceiver solutions offer a wide variety of high-density and low-power connectivity options for 25 Gigabit Ethernet, telecom, and data center.



The 25G SFPwire® FCBG125SD1Cxx-WX is an SFP+ Active Optical Cable designed for use in 25G Ethernet links. The electrical interface of the 25G SFPwire® is compliant with SFF-84311 and the ...



SFP28 optical transceiver modules provide a transmission rate of 25 Gbps and use LC connectors. 25G BiDi transceivers always require paired sets: a -U must pair to a -D on the opposite end of the BiDi ...



25G SFP28 AOC cables designed for flexible and lightweight high-speed connections in modern data center environments.

## Contact Us

For more information, pricing, or custom data center solutions, please contact us:

Website: <https://www.yoahorroenergia.es>

Email: [hello@yoahorroenergia.es](mailto:hello@yoahorroenergia.es)

Phone: +233 54 318 7269

Address: Plot 28, Spintex Road, Accra, Greater Accra, Ghana

This document is for informational purposes only. Specifications subject to change without notice.

