


Italian PoE Switch QSFP-DD



Italian PoE Switch QSFP-DD



Amphenol's QSFP-DD interconnect system delivers high-speed performance with exceptional signal integrity. With 76 contacts per port, eight high-speed channels, and grounded, low ...



July 11, 2019 - QSFP-DD Hardware Specification for QSFP DOUBLE DENSITY 8X PLUGGABLE TRANSCEIVER - Rev 5.0 May 8, 2019 - Common Management Interface Specification - Rev 4.0




QSFP-DD can enable up to 14.4 Tbps aggregate bandwidth in a single switch slot. QSFP-DD electrical interfaces will employ eight lanes that operate up to 25 Gbps NRZ modulation or 50 Gbps PAM4 ...



Selecting the right Passive Power over Ethernet (PoE) solution is crucial for optimizing network performance and meeting specific power requirements. The choice of a passive PoE ...



QSFP-DD ports incorporate a riding heatsink that can be sized independently of the optical module, added on top of the module, or placed between modules. This flexibility enables switch and routing ...



QSFP-DD Interconnect System enables faceplate density equal to the current 2x1 QSFP form factor, but with 8-lane ports. In other words, a total of 256 differential pairs with 32 ports delivers double-lane ...



High-performance 25.6 Tbps, high-density access, aggregation or core switch designed for enterprise data centers, cloud service providers, and telcos. Supports a maximum of 64 400G QSFP-DD® ...



Find which switches support QSFP-DD modules. Our 2025 guide covers Cisco, Arista, Juniper and NVIDIA platforms with backward compatibility tips.



Our QSFP-DD cages feature a proprietary heat sink design, making them the only solution to work in 15-18W applications at a low cost - providing superior thermal and signal integrity performance.



Quad Small Form-factor Pluggable Double Density (QSFP-DD) solution that fits into high-density switch and router client ports for optical interconnect links

Contact Us

For more information, pricing, or custom data center solutions, please contact us:

Website: <https://www.yoahorroenergia.es>

Email: hello@yoahorroenergia.es

Phone: +233 54 318 7269

Address: Plot 28, Spintex Road, Accra, Greater Accra, Ghana

This document is for informational purposes only. Specifications subject to change without notice.

