

# Price of 48-core optical splitter for telecommunications




## Price of 48-core optical splitter for telecommunications



FDB-48 Series 48 ports Fiber Distribution Box can accommodate 1x32 PLC splitter. Anti-UV, Ultra violet resistant and rainfall resistant. IP65 waterproof case.




DA-FOSC-IM48-H012-1 is a specific model of In-line Type Fiber Optic Splice Closure that can accommodate up to 48 fiber optic cables. The "IM" in the model name stands for "in-line type", and ...



FS PLC Fiber Optic Splitters, Bare/Blockless/ABS/LGX Splitter/Rack Mount Types, support 1xN light distribution, with low IL and PDL for high-reliability transmission. Deploying compact FS PLC Splitters ...



This Fiber Optic IP68 Splice Closure is a fiber optical distribution box that provides a cost-effective secure solution for the feeder cable to connect with out door drop cable in FTTH communication ...



Shipping cost not included. The 48 core dome fiber splice closure is a compact and durable outdoor splice enclosure designed for fiber optic splicing, protection, and distribution in FTTH and OSP ...




48 Core Optical Fiber Splitter Box, Find Details and Price about Splitter Box Splitter Distrsplitter Boxibution Box from 48 Core Optical Fiber Splitter Box - Wuhan Wolon Communication Technology ...



Premium-Line FTTH distribution box is aim designed for multi-purpose applications in FTTH projects, the dual layer design supports direct termination, and also FTTH distributions via mini splitter built in, ...



1X48 Optical Splitter is a type of optical power management device that is fabricated using Fused Biconical Tape technology. It features small size, high reliability, cheap cost and good channel-to ...



It is suitable for fiber optical cable direct and branch splicing, connection protection. Features:  
1. The closure adopts heat shrinkable sealing structure. There is one ...



Discover 1:48 optical splitter with SC APC connectors, PLC technology, and CE/ROHS certification for reliable FTTH/FTTX network deployment.



It is suitable for fiber optical cable direct and branch splicing, connection protection. Features:  
1. The closure adopts heat shrinkable sealing structure. There is one big oval shaped inlet/outlet port in ...

## Contact Us

For more information, pricing, or custom data center solutions, please contact us:

Website: <https://www.yoahorroenergia.es>

Email: [hello@yoahorroenergia.es](mailto:hello@yoahorroenergia.es)

Phone: +233 54 318 7269

Address: Plot 28, Spintex Road, Accra, Greater Accra, Ghana

This document is for informational purposes only. Specifications subject to change without notice.

