


# The optical module pull ring can't be pulled out



## Overview

If it cannot be pulled out, it means it has been inserted to the bottom. When removing the fiber optical module, you need to pull out the optical fiber patch cords first, and then pull the pull handle to about 90 degrees to the optical port, and then slowly take out the fiber. After the optical module is inserted into the device, please pull the optical module to check whether it is installed in place, gently pull outward if it can not be pulled means that the installation is in place. Figure 2 Fiber Jumper Connected to SFP Optical Module To remove the optical module, first unplug the fiber jumper, then flip open the pull-tab on the module. When inserting the fiber optical module, close the handle ring; after inserting it, pull out the fiber optical module again to check whether it is in place. The following figure shows the QSFP-DD transceiver, but the procedures outlined in this document apply to all pluggable transceivers. There are two primary reasons why an SFP module might become stuck in a port: The SFP is wedged in the cage: This can occur due to slight.

## The optical module pull ring can t be pulled out



When SFP failure occurs, it's important for technicians to figure out the reason immediately and repair it, otherwise, the 1 Gigabit link may break out. This guide will explore ...



This section describes how to install and remove SFP+ optical transceiver modules to and from the SFP+ cages on the universal HBA. You might need to perform these procedures if you want to ...



After the optical module is inserted into the device, please pull the optical module to check whether it is installed in place, gently pull outward if it can not be pulled means that the ...



As core components of optical communication systems, the proper installation and use of optical modules directly impacts network stability. This article systematically identifies common ...



Before extracting a transceiver from the host platform, the host should verify that the port is no longer carrying active traffic and it is ready for extraction. Next recommendation is to remotely monitor the ...




Guide to safely remove stuck SFP transceivers from switch ports. Step-by-step solutions for wedged modules and broken latching mechanisms.



When inserting the fiber optical module, close the handle ring; after inserting it, pull out the fiber optical module again to check whether it is in place. If ...



For DS110DF111, it is followed by a 10G SFP optical module, but after repeated insertion and removal, the optical module cannot be used, and the link status is displayed down.



Learn how to troubleshoot common SFP module issues including physical faults, hardware damage, compatibility, and configuration errors. This guide provides step-by-step solutions to maintain ...



When inserting the fiber optical module, close the handle ring; after inserting it, pull out the fiber optical module again to check whether it is in place. If it cannot be pulled out, it means it has ...



To ensure the performance and reliability of such modules, systematic testing solutions and high-precision instruments must be adopted. This paper proposes a comprehensive solution covering ...

## Contact Us

For more information, pricing, or custom data center solutions, please contact us:

Website: <https://www.yoahorroenergia.es>

Email: [hello@yoahorroenergia.es](mailto:hello@yoahorroenergia.es)

Phone: +233 54 318 7269

Address: Plot 28, Spintex Road, Accra, Greater Accra, Ghana

This document is for informational purposes only. Specifications subject to change without notice.

