



# **XI5108 distribution box model**



## XI5108 distribution box model



Surface-sealed boxes with IP54 protection ensure long-lasting safety for industrial use. Available in various sizes to suit every installation.



Exact12 distribution boxes for safety applications connect up to eight safe actuators in addition to eight standard sensors. They meet the EN ISO 13849-2 requirements.




The XL series power distribution cabinets support flexible cable entry/exit configurations adaptable to various usage environments. Multiple units can be combined for operation, and the top can be ...



Recessed electrical box for distribution switchgear up to 8 items with screw sealed ...



Product description Recessed distribution box. Ip40, ik08 Various sizes and accessories. White lid. Possibility to supply with key and metal lock by adding at the end of the reference "L".



Recessed electrical box for distribution switchgear up to 8 items with screw sealed in white and reversible door with frame included. Built according to the UNE EN 62208 and UNE 201003.




Flush distribution board, 8 modules. White frame and door. Flush dimensions 205 x 233 x 72 mm. Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)



Recessed distribution box for hollow wall, 8 modules, Ref. 5108HGW by Solera, with black multi-perforated support. White frame and door. Recess dimensions 205 x 233 x 72 mm.



The correct choice and installation of distribution boxes are crucial for electrical safety, efficiency, and reliability. This guide provides an exhaustive overview of the different types of distribution boxes, ...



Flush-mount distribution box Ref. 5108PF by Solera. Designed for 8 modules, with white frame and smoked door. Dimensions 205 x 233 x 72 mm, ideal for domestic or tertiary environments.



Mating Components and Accessories ... Replace x with 1 [1 m (3.28 ft)], 2 [2 m (6.56 ft)], 3 [3 m (9.84 ft)], 5 [5 m (16.40 ft)], or 10 [10 m (32.81 ft)] for standard cable lengths. Two provided with box. One set ...

## Contact Us

For more information, pricing, or custom data center solutions, please contact us:

Website: <https://www.yoahorroenergia.es>

Email: [hello@yoahorroenergia.es](mailto:hello@yoahorroenergia.es)

Phone: +233 54 318 7269

Address: Plot 28, Spintex Road, Accra, Greater Accra, Ghana

This document is for informational purposes only. Specifications subject to change without notice.

